



# The Gazette of Meghalaya

## PUBLISHED BY AUTHORITY

No. 45

Shillong, Thursday, November 7, 2024

16<sup>th</sup> Kartika, 1946 (S. E.)

Separate paging is given on this part in order that it may be filed as a separate compilation.

### PART-IX

#### Advertisements and Notices by Government Offices and Public Service

#### NOTICES

#### STANDARD FORM OF APPLICATION

Photo

Dated .....

To,

Sir/Madam,

I beg to apply for the post of .....  
and furnish the facts as below. In case of any false statement, I am liable to any action Govt. may deem fit  
and proper. A Treasury Challan of ₹ ..... vide T. V. No. .... is attached herewith.

Signature of the Applicant.

1. Full name in CAPITAL LETTERS with aliases, if any, surname first (Please do not use any initials):

2. Date of Birth : .....  
Year Month Date

3. Place of Birth : .....  
Village/Town Police Station District

4. Father's/Mother's and Husband's name (in case of married female) (Please do not use initials):

5. Personal description :

(a) Height:..... M. .... Cm.

(b) Colour of eyes: .....

(c) Colour of hair: .....

(d) Visible distinguishing marks (if any):.....

6. (a) Permanent address in full:

(b) Present address in full:

(c) If you have not resided at the above address continuously for the last four years, please give the  
other addresses where you have resided during the period.

From

To

Address

## 7. References:-

Name and address of two responsible persons in your localities who would be prepared to vouch for you:

.....  
 .....

## 8. Are you citizen of India? If so, how? (Copy of a Citizenship Certificate should be enclosed where necessary).

.....

## 9. Educational and other qualifications (Please attached copies of Certificates, Mark Sheets etc.)

Sl. No.	Name of Institution	Date of entering	Date of leaving	Examination passed	Division	Subjects taken
1	2	3	4	5	6	7
1						
2						
3						
4						
5						

## 10. Community: .....

(a) State your religion: .....

(b) Are you a member of Scheduled Castes/Scheduled Tribes (Answer 'Yes' or 'No'. If 'Yes' give particulars supported by a Certificate (Copy to be enclosed)).

.....

## 11. Present occupation, if any: .....

## 12. Previous appointment held, if any: .....

## 13. Are you a temporary/retrrenched personnel of temporary Department, Government of Meghalaya (Answer "Yes" or "No". (If "Yes" give particulars):

.....

## 14. Are you trained in or a member of the National Cadet Corps/Territorial Army/Scout or Guides? If so, give particulars.

.....

## 15. Are you married or unmarried? .....

Signature

.....

**Note:-** (i) Modified *vide* Govt. O.M. No.PER(AR).123/78/143-A, dated 26<sup>th</sup> September, 2016.

(ii) Particulars are to be filled in below the column in the space provided.

Subject:-Tender for Procurement of Equipment

The Director General of Police, Meghalaya, Shillong invites Sealed Tenders-affixin

Shillong the 21<sup>st</sup> October, 2024.

### SHORT TENDER NOTICE

**No.WRDES314/NSP/2023-2024/1011-** Sealed tender paper affixing with non-refundable Court Fee stamp of equivalent amount corresponding to the value of work tendered and eventually to be drawn in F-2 tender agreement are invited from the registered class I (one) contractors of the Chief Engineer (WR) and Class II (two) contractors of the Superintending Engineer (WR) Shillong Circle Department for the mentioned work which will be received in the Office of the undersigned upto 2:00 p.m. on the 7<sup>th</sup> November 2024 will be opened on the same date and hour in presence of the contractors or their authorized agents, if they so desire to be present.

Detailed of Tender papers will be sold during working hours from 11:00 a.m. to 3:00 p.m. on the 4<sup>th</sup>, 5<sup>th</sup> and 6<sup>th</sup> of November 2024.

Name of Works	Estimated Amount
<b>Provision of approach accessible for people with disability with railing and ramp including signage and Providing lift No.2 in the office building of the Dte of Agriculture.</b>	<b>₹ 3,6,81,132.00</b>

Note: 1. Non-Tribal contractor are required to produce valid trading Licence.

- All contractors should quote their **full name** and **surname** in all the tender documents. They should also enclosed the relevant documents viz., Cash Receipt for the cost of Tender Paper, Valid registration, Pan Card, GST, Labour Licence, Professional Tax, Experience Certificate wherever applicable and photograph duly attested. Working Capital (works for ₹ 30.00 lcs and above). Average annual turn over (works for ₹ 30.00 lcs and above), Technical qualified and Experienced Person(s) as required will be approved by the Executive Engineer Incharge and shall have to be kept at site by the contractor to supervise all the works (works for ₹ 10.00 lcs and above). Documentary proof of having qualified technical personal as mentioned above has to be enclosed along with the undertaking for such technical personal proposed to be engaged together with the attested copy of technical qualification certificate. The name appearing in all the stated documents should be the same or else this may be one of the reason for the tender liable to be rejected.
- The Court fee stamp to be pasted in the tender document for different values of works and the cost of tender paper for various tender values are available on the notice board.
- All other requisites to be filled and enclosed as mentioned in the detailed tender paper. Each page of the detailed tender paper should be signed.
- In case the last date happened to be the holiday; the tender will be opened on the next working day at the same time and hour.
- Payment subject to availability of fund.

- 7 The undersigned has the right to further split the groups of work to a certain limit without assigning any reason thereof.
8. The undersigned deserved the right to accept or reject any tender or application without assigning any reason thereof.
9. Tender paper must be submitted in a sealed covered enveloped with the name of the project and Group No. written on it.
10. On received of the Pre-work order contractor must Register themselves with the labour commissioner Megh for the Building and other construction workers (Regulation of employment and condition of Service Act 1996) & a certificate should be produced without which Final work order will not be issued.
11. 1% of the bill value will be deducted from the Bill as Building and other construction workers welfare cess.
12. GST on works contract will be deducted at the applicable rate of the concern department.
13. TDS (Income Tax) on works contract will be deducted at the applicable rate of the concern department.
14. Forest Royalty if any on works contract will be deducted at the applicable rate of the concern department.

Executive Engineer (W R),  
East Khasi Hills Division Shillong.

Shillong, the 24<sup>th</sup> October, 2024.

**No.DFS/S/MOD-FC/2023-24/26-** Sealed Tender in 2 (two) Bid system Technical Bid and Financial Bid affixing non-refundable court fee stamp of ₹ **2000/-(Two Thousand) only** are invited from bonafide, established, reputed manufacturers or their authorized dealers/agents/ representative for entering into the rate contract for supply, installation and demonstration of “**Forensic Equipment**” for **2024-25** as per the Technical Specifications, in **Annexure “A”** and Terms and conditions laid down in the Tender notice.

#### **Terms and Conditions**

Items offered must be of reputed companies/manufacturers and should meet with all the specifications as those given in **Annexure A**. Tender should be accompanied with catalogue, warranty/ guarantee or any related papers & will be received up to **1400 hrs.** on the **13<sup>th</sup> November, 2024** and will be opened on the same day at 1400 hrs. Bidders or their authorized representatives are invited at the time of opening of the tender. Tenders received after 1200 hrs. of **13<sup>th</sup> November, 2024** by hand or by post will be summarily rejected.

#### **2. Tender must be accompanied by:-**

- (a) Affixed non-refundable court fee stamp of Rs.2000/-.
- (b) Tenderers should quote one rate for the equipment as Given in Annexure-A. Tender must be accompanied by Earnest money @ of 2% for General and 1% for Scheduled Caste/Schedule Tribe of the total amount of Tender value/Contract value. The earnest money preferably should be in the form of (i) Crossed Bank Draft or (ii) Deposit at call duly pledge in favour of the Director, Directorate of Forensic Sciences, Meghalaya, Shillong at any Nationalised Bank at Shillong. The Earnest Money/Security Deposit papers pending in this office in connection with other tenders/supplies shall not be considered as Earnest Money for the tender.
- (c) MSME seeking exemption from submitting EMD will have to produce relevant certificate.
- (d) Attested copy of PAN.
- (e) Valid GST Registration certificate and TIN No. of the tenderer along with latest GSTR-3 filed returns.
- (f) Latest financial stability certificate from a Scheduled Bank certifying that the Tenderer is financially sound to undertake the contract. The financial stability certificate should not be less than 2 (Two) Crore during the current financial year.
- (g) Authorization/Dealership/distributorship/certificate from the Principal manufacturers/sub dealership certificate from the Distributor.
- (h) Recent passport size photograph of the Tenderer duly attested.
- (i) Attested Copy of ST certificate from Meghalaya for Scheduled Tribe tenderers.

- (j) Attested Copy of Valid Trading Licence from KHADC Meghalaya in case of Non-Tribal Organization/Firms mentioning the correct nature of trade.
- (k) Attested Copy of professional Tax Certificate.

3. The following information must be mentioned on the body of the sealed envelope superscribed "Technical Bid" containing the quotations, failing which the sealed envelope of the quoting firm will not be opened.

- (a) Valid GST Registration Certificate and latest GSTR-3 filed returns. - is enclosed
- (b) PAN - is enclosed
- (c) Earnest money - is enclosed.
- (d) Court Fee stamp - is enclosed.
- (e) Dealership certificates from Principal manufacturers. - is enclosed
- (f) Passport size photograph of the bidder should also be enclosed. - is enclosed
- (g) Latest financial stability Certificate from any recognized Bank. - is enclosed

Failure to enclosed any one of these documents or enclosed of any invalid documents will result in automatic rejection of the quotation.

4. **Rates quoted**

- (a) should be inclusive of cost of accessories.
- (b) should be valid for one calendar year from the date of acceptance of tender.
- (c) should be quoted FOR destination Shillong, door delivery Director, Directorate of Forensic Sciences, Meghalaya, Shillong.
- (d) Should be inclusive of all Charges like packing, insurance, transit risk and other incidental charges only GST and local taxes (if applicable) should be shown separately.
- (e) Should be written clearly in figure and in words. Any alteration or overwriting must be fully signed by the tenderers.
- (f) Once the rates offered in the tender are accepted enhancement will not be entertained under any circumstances and tenderers will be liable to supply the items at the accepted rate. Failure to supply the items at the accepted rates will entail the offer being cancelled and the security money will be forfeited to the Government of Meghalaya.

5. Tender should be addressed to the undersigned by designation and not by name. The main envelopes containing the tender must be superscribed as **"Tender for Forensic Equipment"**. The other two envelopes to be kept inside the main envelope should be sealed and **superscribed** as **"Technical Bid"** and **"Financial Bid"** separately.

6. **The successful tenderers :-**

- (a) Will be intimated by a Letter of Acceptance of the Director, Directorate of Forensic Sciences, Meghalaya, Shillong. Till then no bidder has any right to assume that his/her tender has been accepted. There shall be no claim whatsoever for compensation for any expenditure incurred by any tenderers in anticipation of acceptance letter.
- (c) Required to furnish a security deposit as per rates mentioned below and execute the contract agreement to ensure fulfillment of the terms and conditions of the contract which successful bidder/s will have to enter into. Such security deposit will be subjected to forfeiture in case of non-fulfillment of terms and conditions of the tender notice on the contract agreement. The earnest money of the successful tenderer/s will not be released till the full security deposit is furnished. Earnest money of the successful tenderer/s will be forfeited to the Government in case of failure to furnish security money in full.

7. **RATES OF SECURITY DEPOSIT**

The successful tender will have to deposit Security Deposit @ 10% (for all categories) of the total, amount of the contract. The Security Deposit should be interest free and in the form of a valid Bank Draft/ Deposit at Call pledge in favour of the undersigned.

8. The Director, Directorate of Forensic Sciences, Meghalaya may rescind forthwith the contract in writing if,
- a) A Tenderer assigns or sublets any contract in respect of contract or any other contract entered into with the Government.
  - b) Tenderer or his agent/Servant are found guilty of fraud of this contract or any other contract.
  - c) Declines, neglect or delays to comply with the demand/requisition or in any other way fails to perform or observe any of or all the condition of the contract agreement.

In case of such of such rescission the Security Deposit in full shall stand forfeited and absolutely be at the disposal of the Government without prejudice to any other remedy or action that the Government shall be entitled to recover from the successful Tenderer any extra expenses Govt. may deem necessary in obtaining the supplies.

9. In the event of the successful Tenderer failing to perform his/her part of any or all the contract agreement to the satisfaction of the Department or disregarding and term and conditions of the Tender Notice and or the contract agreement the successful Tenderer shall be liable to any of or all of the following action at the discretion of the Director, Directorate of Forensic Sciences, Meghalaya, Shillong on behalf of the Government of Meghalaya.
- (i) Forfeiture of security deposit in whole or part.
  - (ii) Making good the loss caused to the Government through the liability, neglect, delay in complying with the demand.

(iii) Cancellation of the contract without any prior notice to the contractor.

10. If the successful Tenderer/s willfully neglects, fails to perform or observe any or all conditions of the contract agreement or attempts to cheat or indulge in foul practices, the Director, Directorate of Forensic Sciences, Meghalaya, Shillong may impose a ban upon such Tenderer(s) for future business within the Department.
11. Once the sample/technical specification of the items are approved, no change of brand, name, shape, pattern, quality or specification will be entertained even on the plea of non-availability of raw materials or alternative offer of the same quality.
12. The store, supplied must be of the same specification, weight and quality as the tendered models Samples/Tech. Spec. If the items are rejected by the undersigned due to non-meeting of the Technical Specification the supplier must replace the rejected items at their own cost forthwith and in a period of 21 (twenty one) days from the date of rejection.
13. Delivery, installation and demonstration must be completed within Seventy five days from the date of receipt of firm orders. No extension of delivery & installation period will be entertained.
14. Payment will be made to the suppliers directly only on completion of supplies and on correct receipt of goods by the respective consignee in good condition. Documents/vouchers/ P. R. Bills etc. routed through Banks will not be accepted. Consignment will be dispatched by the firm after payment of all freight charge at the source. Freight to pay P.R. will not be accepted.
15. Risk of transportation will be borne by the Tenderer themselves.
16. Comprehensive onsite warranty should be indicated along with after sale services facilities.
17. One set of manuals of (Instructions and Maintenance) should be supplied free of cost for each item wherever applicable.
18. The Director, Directorate of Forensic Sciences, Meghalaya, Shillong reserved the right to himself/herself to reject the lowest rate or any of the tender without assigning any reason thereof.
19. Any dispute arising out of or in respect of these terms and conditions of the contract Agreement shall be in the jurisdiction of the courts in Meghalaya.
20. PRACTICAL DEMONSTRATION : 10 days of practical demonstration must be provided to the staff in the Directorate, of Forensic Sciences, Meghalaya, Shillong.

Director,  
Directorate of Forensic Sciences,  
Meghalaya, Shillong.



Sealed tenders along with Brouchers/Catalogues for supply, installation and demonstration of items to the Directorate of Forensic Sciences Meghalaya Shillong will be received by the undersigned upto **14.00 hours of 13<sup>th</sup> November, 2024**, and will be opened on the same day at **15.00 hours** by the undersigned. Details may be collected from the office of the undersigned on any working days.

Director,  
Directorate of Forensic Sciences,  
Meghalaya, Shillong.

ANNEXURE "A"

**LIST OF EQUIPMENT AND ITS SPECIFICATION**

Sl. No.	Name of Equipment	Specifications
1	VSC-8000	Specifications of Video Spectral Comparator (VSC) Document Examination

1. A sophisticated digital imaging VSC technology with Colour/IR high resolution live 12M pixel commercial grade camera with spectral range 350-1100nm with a 55x optical range, Digital zoom up to 8x giving image magnification up to 2000x for (every) camera used in the system.
2. Standard field of view (excluding XY stage) should be minimum 220x165mm. Equivalent to a optical magnification of up to 250x on a 32" 4K monitor.
3. The system should provide super resolution up to 127Mpixel for sharp, bright images of documents at the highest magnification. It should have UV pass filter (350-380nm), Visible pass filter and a linear polarizer for cross polar imaging.
4. The system illumination and light sources must be a combination of LEDs and High-Power Filament Lamps / Tungsten-Halogen Spotlight (dedicated for IR examination). Flood and transmitted spotlight must be High-Power Filament Lamps / Tungsten-Halogen based.
5. The system must include High-pass (Min. 15), Low-pass (Min. 15) and Bandpass Excitation Filters.
6. Incident Visible/IR light must include minimum 24 LEDs with minimum 6 IR wavebands from 660 nm to 980 nm. Side lights (oblique) must have minimum 12 White and IR LEDs with variable angle selection.
7. It should have software controlled motorized X-Y stage with step movement down to 0.01mm and total travel of 60mm x 45mm, demonstrable on the equipment at any given time.
8. It must include Anti Stokes examination module which can be used in Live mode, demonstrable on the equipment at any given time.
9. It should have Raw Pixel Stepping, Sub-Pixel stepping features.
10. It must have versatile latent imaging with angle controls and software enhancement.

11. It should have an integrated industry standard grating type Microspectrometer for measurement of absorption, reflectance, transmission, and fluorescence spectra from 400nm to 1000nm captured in real time with a resolution of 3nm, demonstrable on the equipment at any given time.
12. The supply should include Automated diagnostics check the status of motors, light sources, and filters, along with lamp life monitoring and lamp failure detection feature. Display diagnostic reports on-screen or output as PDF format.
13. Two Keesing reference Security Document and Banknote databases are required to be quoted for around 200 countries.
14. The quoted system must provide an essentially required an in-built Three Dimension (3-D) Imaging Module to capture multiple images under known illumination conditions to generate photometric stereo imaging of a documents surface topography as well as apply colourmaps, rotate images through three-dimensional space, or invert 3D images to improve visualization of indentations and raised surface features, besides sequence of lines unambiguously.
15. It should have a range of applications focused workspaces providing tools and functions specific to the document being examined. Pre-set workspaces must include: Passports, ID Cards, banknotes, and ink analysis. Ability to create own workspace should also be included.
16. A latest generation Computer System along with a compatible color laser printer must be included.
17. The comprehensive system software to cover all VSC applications and software updates.
18. The equipment must provide 1 years warranty and on-site operational training at consignee's site after installation must be included

Sl. No.	Name of Equipment	Specifications
2	UV-VIS Spectrophotometer	Specifications of UV-Vis Spectrophotometer

ITEM	SPECIFICATION
Wavelength range	190 to 1,100 nm
Spectral bandwidth	1nm (190 to 1,100nm)
Wavelength setting	0.1nm increments (1nm increments when setting scanning range)
Wavelength accuracy	0.1 nm at D2 peak 656.1 nm, 0.3 nm for entire range
Wavelength repeatability	= 0.1 nm
Wavelength slew rate	Approx. 29,000 nm /min
Wavelength scanning speed	3,000 to 2 nm/ min 29,000 nm /min when survey scanning
Lamp interchange wavelength	Automatic interchange linked to wavelength. The interchange wavelength can be set freely in the range of 295 to 364nm (0.1 nm increment)
Stray light	Less than 0.02% at 220 nm (NaI) Less than 0.02 % at 340 nm (NaNO <sub>2</sub> ) Less than 0.5 % at 198 nm (KC1)
Photometric system	Double beam optics
Photometric range	Absorbance: - 4 to 4 Abs Transmittance: 0% to 400%
Photometric accuracy	0.002 Abs at 0.5 Abs 0.004 Abs at 1.0 Abs 0.006 Abs at 2.0 Abs (measured using NIST630D/NIST1930 or equivalent)
Photometric repeatability	Less than = 0.0002 Abs at 0.5 Abs Less than = 0.0002 Abs at 1 Abs Less than = 0.001 Abs at 2 Abs

ITEM	SPECIFICATION
Baseline stability	Less than 0.0003 Abs/Hr (700 nm, one hour after light source turned ON)
Baseline flatness	Less than = 0.0006 Abs (1,100 to 190 nm, one hour after light source turned ON)
Noise level	Less than 0.00005 Abs (700nm)
Light source	20-W halogen lamp and deuterium lamp Built-in light source auto position adjustment.
Monochromator	LO-RAY-LIGHT grade blazed holographic grating in Czerny-Turner mounting.
Detector	Silicon photodiode.
Sample compartment	Internal dimensions: W110 x D250 x H115 mm Distance between light beams: 100 mm
Power requirements	AC100, 120, 220, 230, 240 V, 50/60 Hz, 140 VA
Environmental requirements	Temperature: 15 °C to 35 °C Humidity: 30% to 80% (without condensation; 70% max. at 30 °C or higher)
Dimensions	W450 x D501 x H244 mm
Weight	16.6 kg
Output device	USB memory (optional) Extended memory (optional) Data files saved in text format or UVPC format* *Files in UVPC format can be read with the UVprobe file viewer, which is a function of Lab solutions UV-Vis, or with UVprobe software
PC compatibility	LabSolutions UV-Vis software (standard) External control possible via USB.
Display	24-bit color touch screen Touch pen (Standard included) Touch panel protective sheet (optional)
Supported languages	Japanese, English, Chinese, Spanish (Mexico), Portuguese (Brazil), German, French, Russian.

Measurement Mode	SPECIFICATION
Spectrum mode	<ol style="list-style-type: none"> <li>1. Measurement modes: Abs, T%, E</li> <li>2. Number of repeat scans; 1 to 99</li> <li>3. Recording system: Selection between single spectrum and data overlay</li> <li>4. Data storage and recall</li> <li>5. Data processing; <ul style="list-style-type: none"> <li>Peek/valley detection, arithmetic operations, differentiation, smoothing, area calculation, point picking, data reading at cursor- specified point</li> </ul> </li> </ol>
Photometric mode	<p>Single- wavelength measurement</p> <ol style="list-style-type: none"> <li>1. Photometric modes; T% or Abs</li> <li>2. Quantitation using K-factor method</li> <li>3. Data table storage and recall functions Multiple – wavelength measurement</li> <li>4. Photometric modes: T% or Abs</li> <li>5. Measurements at up to eight designated wavelengths (set in 0.1 mm increments)</li> <li>6. Data calculation at upto 4 wavelength (different or ratio two wavelength, calculation between three wave length, etc.) is possible.</li> </ol>
Quantitation mode	<ol style="list-style-type: none"> <li>1. Measurement methods: <ul style="list-style-type: none"> <li>1-wavelength, 2-wavelength, 3-wavelength and 1<sup>st</sup> to 4<sup>th</sup> derivative methods.</li> </ul> </li> <li>2. Quantitation methods: <ul style="list-style-type: none"> <li>Automatic concentration calculation using K-factor</li> <li>Automatic concentration calculation using single- point calibration curve</li> <li>Multi-point calibration curve method (1<sup>st</sup> to 3<sup>rd</sup> order regression curves)</li> </ul> </li> <li>3. Measurement parameters: <ul style="list-style-type: none"> <li>Number of standards (2 to 10)</li> <li>Number of repeat measurements (1 to 10 times) to obtain a mean value for quantitation.</li> </ul> </li> </ol>
Kinetics mode	<ol style="list-style-type: none"> <li>1. Measures absorbance changes as a function of time and calculates the enzymatic activity values.</li> <li>2. Measurement time: 1 to 9,999 sec/min</li> <li>3. Measurement methods: 1- wavelength, 2-wavelength, multi-cell, and rate measurements</li> </ol>
Time scan mode	<ol style="list-style-type: none"> <li>1. Measure changes in measured values as a function of time.</li> <li>2. Measurement mode: ABS, T%, E</li> <li>3. Measurement time: 1 to 9,999 sec/min</li> <li>4. Data processing functions (same as spectrum mode)</li> </ol>
Biomethod mode	<p>DNA/Protein Quantitation</p> <ol style="list-style-type: none"> <li>1. Calculation of DNA/protein concentration and absorbance ratio  <math>\text{DNA concentration} = K1 \times A1 \times K2 \times A2</math>. Protein concentration = <math>K3 \times A2 - K4 \times A1</math>.</li> <li>2. Factors and measurement wavelengths can be set freely.</li> <li>3. Background correction is possible.</li> </ol> <p>Quantitation of proteins</p> <ol style="list-style-type: none"> <li>1. Quantitation methods: Lowry method, BCA method, Biuret method, CBB method (Bradford method), UV method.</li> </ol>

Maintenance	<ol style="list-style-type: none"> <li>1. Baseline correction.</li> <li>2. Lamp usage time display and reset.</li> <li>3. Security settings: Function can be restricted according to the user.</li> <li>4. Instrument validation functions: <ol style="list-style-type: none"> <li>1) Compatible with 9 JIS items. Wavelength accuracy, wavelength repeatability, resolution, stray light, photometric accuracy, photometric repeatability, baseline flatness baseline stability, noise level.</li> <li>2) Semi-automatic validation: Validation inspections conducted interactively while inserting and removing inspection jigs.</li> <li>3) Fully automatic validation Automatic validation inspections from measurement to evaluation and printout.</li> <li>4) Setting inspection parameters and pass/fail criteria Authority to make changes can be protected by password access.</li> <li>5) Detailed printout of results.</li> <li>6) Bulk printout of results.</li> <li>7) Equipped with method in accordance with Pharmacopeia (JP, USP, EP)</li> </ol> </li> </ol>
Shared functions	<ol style="list-style-type: none"> <li>1. Automatic setting of measurement mode after instrument initialization. Its possible to specify standby and parameter files in the parameter setting window for each measurement mode.</li> <li>2. Selection of displayed number of decimal places Absorbance: 3 or 4 decimal place Transmittance: 1 or 2 decimal places.</li> <li>3. Number of files that can be saved (built-in memory). Measurement parameters: 100 files max. Tabular data: 15 files max. Curve data: 16 files max. Validation condition: 10 files max. Validation result: 3 files max.</li> <li>4. Number of savable files (Extended memory and options) Curve data files: 999 file max.</li> <li>5. Keyboard and Barcode reader Suport File name can be entered using the keyboard or bar code reader.</li> <li>6. Wake-up function Equipment can be started at a fixed time every day.</li> <li>7. Network Connections Multiple UV-1900i can be connected to a single printer over the network.</li> <li>8. Setting of integration time (for fixed-wavelength measurement)</li> <li>9. PC Control Spectrophotometer can be controlled by an external PC. This function is also used when performing operation with the standard Lab Solutions UV-Vis software provided. *A USB cable is required.</li> </ol>

Shillong, the 16<sup>th</sup> October, 2024.

### SHORT NOTICE INVITING TENDER

**No.PW/TB/BR/31/2024/Pt/2-** 1. Sealed tenders subsequently to be drawn up in M.P.W.D. F-2 form of Tender agreement duly affixed with a non-refundable court fee stamp of ₹ 2000.00/- (Rupees two thousand) only, are hereby invited in 2 (two) cover bid system *i.e.* Financial and Technical Bids separately by the undersigned on behalf of the Governor of Meghalaya, from the Registered Class-I P.W.D. Contractors of Meghalaya State / Joint Ventures having requisite qualifications for the under mentioned work and will be received in the office of the Chief Engineer, P.W.D. (Roads), Meghalaya, Shillong (Room No. 311) upto 2:00 p.m. of **6<sup>th</sup> November, 2024**. The Technical Bids will be opened on the same date at 2:15 p.m. in presence of the tenderers or their authorised representatives whosoever desire to attend. If the last date happens to be a holiday, the next working day will be considered as the date of receiving and opening off tenders.

Detailed tender papers may be obtained from the Bridge Design Branch (Room No. 311) of this office from **29<sup>th</sup> October, 2024** upto **31<sup>st</sup> October, 2024** on payment of ₹ 1000.00/- (Rupees one thousand) only, non-refundable per set in cash payable to the Cashier of this office during office hours on any working day from 11:00 a.m. upto 3:00 p.m.

2. **NAME OF WORK:-** Strengthening of weak SPT bridges on Chokpot to Sibbari Road (0-28<sup>th</sup> KM) (Strengthening by providing extra pile, changing of damaged timber decking, trackway, railing, etc.) (Job No. PW/WR/2024-25/136).

3. **DETAILS OF WORK:-**

Nature of work	Approximate value of work
Strengthening of weak SPT bridges on Chokpot to Sibbari Road (0-28 <sup>th</sup> KM) (Strengthening by providing extra pile, changing of damaged timber decking, trackway, railing, etc on Br. Nos. 5/4, 7/4, 8/2, 10/3, 11/1, 11/6, 11/8, 12/1, 12/2, 13/4, 14/5, 16/2, 19/4, 19/7, 21/1, 27/3 including construction of subway for Br. No. 27/3)	₹ 1,40,00,000.00/- (Rupees one crores forty lakhs) only.

4. **TIME OF COMPLETION:-** 24 (twenty four) months from the date of issue of Final Work Order.

5. **RATES:-** Rates are to be quoted on flat percentage basis *i.e.* AT PAR / ABOVE the SOR for Roads and Bridges and E & D Works for the year 2018-2019 applicable in Tura and Williamnagar Circle.

6. **EARNEST MONEY :-** 2% (two) percent or 1 % (one) percent as applicable (Registered Class I Contractor of P.W.D. (Roads), Meghalaya are not required to furnish the Earnest Money).

7. Other details can be seen in the Detailed Notice Inviting Tender.

8. Payment of bills will be made subject to availability of fund.

**DAWHOI LANGSTANG,**  
Chief Engineer, P.W.D. (Roads),  
Meghalaya, Shillong.

Shillong, the 23<sup>rd</sup> October, 2024.

### SHORT TENDER NOTICE

**No.MSWC/Const/1/2022/108-** Sealed Tender affixing non - refundable **Crossed IPO in favour of Managing Director, MSWC of ₹ 300/- (Rupees three hundred) only for SI. No. 'a' and ₹ 200/- (Rupees two hundred) only for SI. No. 'b' and 'c'**, eventually to be drawn in F2 - form of agreement are invited by the undersigned from Class I Registered Contractors under the Chief Engineer P.W.D (Buildings/Roads), wherever applicable and having valid Labour License for the execution of the following work as mentioned below where the Sealed Tenders for the same will be received up to **3:00 p.m. on the 20<sup>th</sup> November 2024**. The Tender will be opened on the **20<sup>th</sup> November 2024** only in the presence of the intending tenderers or their authorized representatives. Finalization of the work shall be as per the recommendation of the Tender Committee Meghalaya State Warehousing Corporation.

SI. No.	Description of Work	Estimated Amount	Time of Completion
a.	Carpeting of Turning Area of Trucks at Nongstoin Warehousing Complex, West Khasi Hills District, Meghalaya.	₹ 5,02,021.00/-	2 months
b	Roof Painting at Nongstoin Warehousing Complex, West Khasi Hills District, Meghalaya.	₹ 2,50,540.00/-	1 month
c.	Painting of Existing 2500MT Warehouse Building at Nongstoin Warehousing Complex, West Khasi Hills District, Meghalaya.	₹ 2,13,110.00/-	1 month

**Date of Selling Tender Papers from 23<sup>rd</sup> October 2024 to 20<sup>th</sup> November 2024** every working day up to **4:30 p.m.** Intending Tenderers may obtain the Detailed N.I.T from the **Office of the Meghalaya State Warehousing Corporation, Lower Lachumiere, Shillong** on the aforesaid date and time.

**Cost of Tender Paper: ₹ 500/- (Rupees five hundred) only per set for SI. No. 'a'**

**Cost of Tender Paper: ₹ 150/- (Rupees one hundred fifty) only per set for SI. No. 'b' and 'c'**

Managing Director,  
Meghalaya State Warehousing Corporation,  
Shillong.



Shillong, the 18<sup>th</sup> October, 2024.

### SHORT NOTICE INVITING TENDER

**No.PW/TB/BR/58/2024/Pt/2 - 1.** Sealed tenders subsequently to be drawn up in M.P.W.D. F-2 form of Tender agreement duly affixed with a non-refundable court fee stamp of ₹ 2000.00/- (Rupees two thousand) only, are hereby invited in 2 (two) cover bid system *i.e.* Financial and Technical Bids separately by the undersigned on behalf of the Governor of Meghalaya, from the Registered Class-I P.W.D. Contractors of Meghalaya State / Joint Ventures having requisite qualifications for the under mentioned work and will be received in the office of the Chief Engineer, P.W.D. (Roads), Meghalaya, Shillong (Room No. 311) upto 2:00 p.m. of **11<sup>th</sup> November, 2024**. The Technical Bids will be opened on the same date at 2:15 p.m. in presence of the tenderers or their authorised representatives whosoever desire to attend. If the last date happens to be a holiday, the next working day will be considered as the date of receiving and opening of tenders.

Detailed tender papers may be obtained from the Bridge Design Branch (Room No. 311) of this office from **30<sup>th</sup> October, 2024** upto **05<sup>th</sup> November, 2024** on payment of ₹ 1000.00/- (Rupees one thousand) only, non-refundable per set in cash payable to the Cashier of this office during office hours on any working day from 11:00 a.m. upto 3:00 p.m.

**2. NAME OF WORK:-** Conversion of SPT Bridge to Permanent RCC Bridge No. 20/6 (Boxcell 5x5x3, L-15.00 m span) on Dudhnai Bridge to Kharkutta Road *via* Jambal (Job No. PW/WR/2024-25/140).

**3. DETAILS OF WORK :-**

Nature of work	Approximate value of work
(i) Construction of RCC Boxcell Bridge as per drawings and technical specifications. (ii) Construction of approaches to Boxcell Bridge. (iii) Construction of subway including approaches.	₹ 1,39,00,000.00/- (Rupees one crores thirty nine lakhs) only.

**4. TIME OF COMPLETION :-** 24 (twenty four) months from the date of issue of Final Work Order.

**5. RATES :-** Rates are to be quoted on flat percentage basis *i.e.* AT PAR / ABOVE the SOR for Roads and Bridges and E & D Works for the year 2018-2019 applicable in Tura and Williamnagar Circle.

**6. EARNEST MONEY :-** 2% (two) percent or 1 % (one) percent as applicable (Registered Class I Contractor of P.W.D. (Roads), Meghalaya are not required to furnish the Earnest Money).

7. Other details can be seen in the Detailed Notice Inviting Tender.

8. Payment of bills will be made subject to availability of fund.

**DAWHOI LANGSTANG,**  
Chief Engineer, P.W.D. (Roads),  
Meghalaya, Shillong.

Shillong, the 25<sup>th</sup> October 2024.

### SHORT NOTICE INVITING TENDER

**No.PW/TB/RD/123/2024/1-** Sealed tenders subsequently to be drawn up in M.P.W.D. F-2 form of tender agreement duly affixed with a non-refundable court fee stamp of ₹ 2000.00/- (**Rupees two thousand**) only, are hereby invited in 2 (two) cover bid system *i.e.* Technical and Financial Bid by the Undersigned on behalf of the Governor of Meghalaya from Registered Class-I P.W.D. (Roads), contractors of Meghalaya State for under mentioned work and will be received in this office (in Room No.210) on **25<sup>th</sup> November 2024 upto 3:00 p.m.** The tenders will be opened on the same day at **4:00 p.m.** in presence of the tenderers or their authorized representatives who so desire to witness the opening of the bids. If the date of receiving of tenders happens to be a holiday, the next working day will be considered as the date of receiving and opening of tenders.

Detailed tender papers may be obtained from the Technical Branch (Roads) (Room No.210) of this office from **5<sup>th</sup> November 2024 to 14<sup>th</sup> November 2024 upto 3:00 p.m.** on payment of ₹ 27,000.00/- (**Rupees twenty seven thousand**) only as applicable, non-refundable in cash payable to the Cashier of this office on any working day, from **11:00 a.m. upto 3:00 p.m.**

(i) Name of Work: -	Construction of an interlocking Paver Block road from Wadagre to Boraigopi via Rongkaigre (Total Length=0.00 -8 + 280 Km).
(ii) Approximate value of work :-	Work Component = ₹ 25,99,40,000.00/-
	Add 5% for 2 Years Maintenance = ₹ 1,29,97,000.00/-
	Total = ₹ 27,29,37,000.00/- (Rupees twenty seven crores twenty nine lakhs thirty seven thousand only).
(iii) Nature of works:-	1. Site Clearing, Dismantling etc. 2. Earthwork in Excavation/ Cutting 3. Earthwork in Filling (Embankment) 4. Earthwork in Filling (Borrowpits) 5. GSB 6. Interlocking Concrete Block 7. PCC for Concrete Block 8. Single Opening Hume Pipe (SOHP) Culvert 9. Double Opening Hume Pipe (DOHP) Culvert 10. Box - Cell Culvert 11. Retaining Wall (4.00 m - 5.00 m - 6.00 m - 7.00 m Heights) 12. Breast Wall (4.00 m - 5.00 m - 6.00 m - 7.00 m Heights) 13. Drainage (Pucca + Kutcha) 14. Boulder Sausage 15. Haulage 16. Loading and Unloading of Materials.
(iv) Time of completion: -	24 (Twenty four) months from the date of issue of Final Work Order.
(v) Rates: -	Rates are to be quoted on flat percentage basis, <i>i.e.</i> AT PAR/ABOVE the Schedule of Rates for Roads and Bridge under Tura and Williamnagar Circle for the year 2018-19.
(vi) Other details can be seen in the Detailed Notice Inviting Tender.	
(vii) Payment of bills will be made subject to availability of fund.	

Successful Non-Tribal Contractor shall have to furnish valid Trading License from the Concerned Autonomous District Council in Meghalaya prior to issuing of Work Order.

**DAWHOI LANGSTANG,**  
Chief Engineer, P.W.D. (Roads),  
Meghalaya, Shillong.

The 8<sup>th</sup> August, 2024.

**AFFIDAVIT**

I, Hedingstarwell Lyngkhai, son of (L) Ruli Lyngdoh, aged about 58 years, resident of 197, Near Presbyterian Church, Upper Lumparing, Lumdorbar, Shillong, East Khasi Hills District, Meghalaya, do hereby solemnly affirm and declare on oath as follows:-

1. That my actual and correct date of birth is '**12.12.1965**' as recorded on all my other official documents.
2. That due to a bonafide mistake, my date of birth has been wrongly recorded/reflected as '**12.12.1963**' instead of '**12.12.1965**' on my Pan Card.
3. That now I intent to correct/ rectify my date of birth in the said document.
4. That this instant affidavit is sworn in for the purpose of declaring the statement made herein above and for making necessary correction for producing the same before the concerned authority/authorities as a mark of proof and for all other intents and purposes.
5. That the statements made hereinabove are true to the best of my knowledge, belief and information.

Solemnly affirmed and declared before me by the above named Deponent, who is identified by **Miss. A. Kharmyndai**, Advocate, on this 5<sup>th</sup> day of the **July, 2024**, at Shillong.

**HEDINGSTARWELL LYNGKHOI,**  
Resident of Upper Lumparing Lumdorbar,  
East Khasi Hills District,  
Meghalaya, Shillong.

The 8<sup>th</sup> August, 2024.

**AFFIDAVIT**

I, Hedingstarwell Lyngkhai, son of (L) Ruli Lyngdoh, aged about 58 years, resident of 197, Near Presbyterian Church, Upper Lumparing, Lumdorbar, Shillong, East Khasi Hills District, Meghalaya, do hereby solemnly affirm and declare on oath as follows: -

1. That my name has been recorded/ reflected as **"Hedingstarwell Lyngkhai"** in all my official documents.
2. That now I intend to change my name from **'Rev R.H. Lyngkhai'** to **"Hedingstarwell Lyngkhai"** and to avoid future complications. Hence, this Affidavit.
3. That, henceforth, I shall be known as **"Hedingstarwell Lyngkhai"** and not 'Rev R. H. Lyngkhai'.
4. That the name of **"Hedingstarwell Lyngkhai"** and 'Rev R.H. Lyngkhai' belongs to one and the same person *i.e.* myself.
5. That this Affidavit is sworn in for the purpose of declaring that, henceforth, I shall be known as **"Hedingstarwell Lyngkhai"** and not 'Rev R.H. Lyngkhai' and now I intend to change the same to avoid future complications and for submitting the same before the concerned authority(s) and for all other intents and purposes.
6. That the statements made hereinabove are true to the best of my knowledge, information and belief.

Solemnly affirmed and declared before me by the above named Deponent who is identified by Miss. A. **Kharmyndai, Advocate**, Shillong on this the 5<sup>th</sup> day of **July, 2024** at Shillong.

**HEDINGSTARWELL LYNGKHAO,**  
Resident of Upper Lumparing Lumdorbar,  
East Khasi Hills District,  
Meghalaya, Shillong.

The 5<sup>th</sup> November, 2024.

**AFFIDAVIT**

I, **Smti. Atula Yaren Sharma**, wife of Shri Raju Sharma, aged about 40 years, resident of Upper New Colony, Laitumkhrach, Shillong -793003, East Khasi Hills District, Meghalaya do hereby solemnly affirm and declare on oath as follows:-

1. That I am a citizen of India by birth and a permanent resident of the above mentioned address.
2. That due to bonafide mistake or inadvertence, my name has been entered as “**Smti. Suatula Longkumer**”/ “ **Smti. Suatula Yaren Sharma**” in my Educational Certificates, LIC/Bank documents/Telephone Connection etc.
3. That this instant affidavit is sworn-in for the purpose declaring that “ **Smti. Suatula Yaren Sharma**” / “**Smti. Suatula Longkumer**”/ “**Smti. Atula Yaren Sharma**” are one and the same person and for the purpose of declaring that from now on I shall be known as “**Smti. Atula Yaren Sharma**” and not as “**Smti. Suatula Yaren Sharma**”/ “ **Smti. Suatula Longkumer**” and for all other intent and purposes as well as to all concerned, the same shall be recorded in all official record and documents on the strength of this affidavit.
4. That the statement made in the foregoing paragraph are true to the best of my knowledge, belief and information.

Solemnly affirmed and declared before me by the above named Deponent on being identified by **Mr. E. Nongbri**, Advocate, on this the 9<sup>th</sup> day of October, 2024 at Shillong.

**ATULA YAREN SHARMA,**  
Resident of Upper New Colony Laitumkhrach,  
East Khasi Hills District,  
Meghalaya, Shillong.